Ship your Junty har V was and wheat from the could signed you with the File I william of my water in



The transfer was the same that the same

BECEIPT FOR AUTOPSY MATERIAL, ETC.

tant & learkery Hellas Palue Myt.


GUNSHOT WOUND CHART C- ML-352-63 WOUND NO. w. Ent Neck Right Richt Léft Width 4 **Y**9 Top of head 43 17 201 Right of wound to: Left of midline 14 5. Direction of bullet through body: To right To left Bullet found: Photographs made: Yes No X-rays made: Yes No.

REMARKS:

483

E. F. 11 10 su En

- Date: 22, 1963



Hovember 26, 196

Homorable Joe B. Brown, Jr. Justice of the Peace 410 South Backley Dallas, Texas

> Be: J. D. Tippett 11-22-63 Our M63-352

Doar Judge Browns

The entopsy studies on J. D. Tippett, 39 year old white male on then you authorized an autopsy flowenher 22, 1003, have been completed. The came of death is found to be gunshet vounds of the head and thest. There was extensive damage to the brain as well as ventrations of the lun; and liver with massive homorrhame.

Boutine studies will be done and in the event anything more of significance is encountered, you will be immediately notified.

With kindest personal regards,

Very sincerely yours.

Earl F. Rose, M. D.

EFRibh

cc: Hon. Henry Wade Cupt. J. W. Frits Dr. J. M. Pickard Nrs. Kurrine Lama DALLAS COUNTY, TEXAS

AUTHORIZED PERMIT FOR AUTOPSY

Dr. Earl F. Rose
To: Pathology Department
Parkland Memorial Hospital
5201 Harry Hines Boulevard
Dallas 35. Texas

I. Jos B. Brown, Jr. Justice of the Peace, Freeinct No. Z. Dalias County, Texas do upon my own determination deem that this autopsy is necessary and hereby authorize you to perform an autopor upon the following named deceased person:

Ago 32 Sex male Race white

D O A Methodist Respital 1:15 P. M., Rovember 22, 1963

Fine of Sex male Repeated Post of Control of Con

Please forward a copy of your autopsy findings to: (Name to be checked)

he retained and delivered to the Dallas Crime Lab.

☐ Jee B. Brown, Jr. Justice of Peace, Precinct No. 7, Place 2

Dr. J. M. Pickard, County Health Officer

☐ Henry Wade, District Attorney
☐ J. E. (Bill) Decker, Sheriff

Capt. J. W. (Will) Fritz, Dallas Police Department

Chief, C. N. Penn, Dallas Fire Department

Mrs. Maurine Laum, Bureau of Vital Statistics

Please release the body to: Dudley Hughes Funeral Home

Date November 22, 1963

Time 3:00 P. M.

486

Dalles County Toyes

PARKIAND MEMORIAL HOSPITAL PATHOLOGY LABORATORY MUS dev to let 3 + 2 Autopy Number 143-352 Minima 11-22-63 IDA Adminima 11-22-63, 3:15 F.M. Autopy by In In 12-2-63, 3:15 F.M.

Restrictions: 3000

PYTERIAL PYANTUMPTON . -

External commission reveals a well developed thits make measuring 5 foot, il inches in lengths und wighing one estimated 175 to 150 pounds. The hair is black, slightly wary, very slight frontal balding. The irides are blac, the puglis are equal at 5 ms. Higher is not present. Very slight posterior extical lividity and body heat is proment. Oral hygions is good. The next is not remarkable. Each electrication is normal, the puglis in circumsted. Heatification banks on the left wire, right writes and here

There are four entrumes types of wounds. Es. 1 is 4 3/4 inches from the top of the head and 3 3/4 inches to the right of the midline. This measures $3/6 \times 1/6$ inch and is currounded by a contunion ring. By powder textooling is noted at the margine.

Wound No. 2 is 17 inches from the top of the head on the right chest. It is 4 inches to the right of the million, above and slightly model to the right nipple. It measures 375 x 1/4 of an inch, surremained by bruising. There is also a contunion ring,

Wound Ho. 3 is 21 inches from the top of the hand, along the enterior lateral side of the right chest and is 6 inches to the right of the midline. This measures $5/16 \times 1/6$ of an inch and is entrounded by a contamina ring.

Found No. 4 on the laft chest is 20 $\frac{1}{2}$ inches from the top of the head, $1\frac{1}{2}$ inches to the laft of the middles. The wound measures $3/4 \times 3/3$ of an inch, is transverse and surrounding this is a $1/4 \times 3/4$ and abranch

Flowrs in tunning of the arms. On the left are there is a tuttoo being "light" on the dorsen of the left hand there is a crutched durshed arm consuming it a inch and a fresh shruded error on the dorsen of the right hand which measures is a inch and multio mer quite well cared for allowed slightly dirty. See the results of a continuous multiple of the continuous section of the right hand which measures is a inch as the term of the continuous section of the continuous section of the log measuring T imboss. Boarly defined a took immediately of scar on the left databat region.

16% inches from the top of the head, 3/A of an inch to the right of the midline of the high in the securitaneous tissue a missile is recovered from this region. This is associated with the Yound Bo. 3.

HINDENDEY: The obscient "I' therecondentual and intermented includes are utilized. Examination of the would of the right temple is rule. It is found to enter in the right middle oranizal force, pursees a course which is eligibily upward, backward and to the last. Here is described point the entrance and extensive fractures as it extends the link conjugates related bear. It is recovered in this region, 3 inches to the last of the million and apprenticably I than from the top of the heal. Excitation of the brain is calle. The train surject 1375 pp. The course of the sizable through the brain is followed. It is found to enter the right temporal labe, coursed through the brain surposition, and form the strain proceeding the contrastive humanicapies, and from it to entit from the brain substance in the calcurate grain correlated. Emitted to the brain is otherwise out warmanible as the regions

The abdominal protection generous up to 7/8 of an inch. The origins are in the normal position. Inclination of the serious contricts in such. There is from to be extend to be extended to the contribution of 1000 cs. of 1000 cs.

one content of the maximum and reliables. The would absorbed as 10. 2 is found to photose the second and third rib. We reliable is from 10 precision to be natural reliable to the reliable to the precision of the right upon 1000. The built is found to point the pericavital sec, through the content becoming in the pericavital sec, approximately 4 concess. Passes through the experience was series. It exists into the meliantime, strikes the fourth throade vertorian to the latter of the edition, courses in the adultance of the workshown of the vertoking and its recovered eligibility to the latt of this vertoking approximately is inshed from the adultance of the adultance of the vertoking and the property of the pr

by heartwarp, nething the dearen of the circh ris alignity internit to the costochemical junction. It preservinces the anterior edge of the right lover lobe of the lung, the displaces, restrictes the liver, the extrace wound to the liver and incortion which is expectately? at 2.5 cs. It pursues a course healtening quart, and to the lath and is recovered from the east titons of the body, 155 inshes from the top of the heal and 156 of m into 10 the right of the middles. It is also from the top posterior aspect of the right lower labe.

Wound No. 3 is found to penetrate the chest wall as externally described, is surrounded

Nouril Bo. 4 is extended. It is found to be superficial and no penetration of the rib engo is noted. There is hemorology beautiful the abruiced and bruiced area adjacent to the womin. In misciles are present in this area.

MINUS: The large together total 1990 pt. The penetrations of the larg have proviously been described. Perce are areas of stelecturis and along the courses of the ballst through the larg there is extensive hearrings.

LIVER: The liver weighs 1870 ga. The penetrations of the liver have proviously been described. The cut surface of the liver is not recurable.

CALLEGARYS & RELIGHT WEST But monriphle.

PONTACAVAL SYNTM: Not remrhable.

KHECKS: The kidneys together weigh 350 ga. The expende strips quite enally and they are puls.

ADMINIS: Not remriable.

SPIRES: The spleen weight 100 ga. The capsule is smooth. The cut surface is not recardable.

minute. The heart weight 300 ga. There is as epicardical enchapsatis, anterior particle, left ventricials. This is at the aper. The corrector surveries are opened in other large or found to be of goal cultier, free of occlusions. The valvos are not remarkable. The spoor-stilling probally is not remarkable.

PARCENAS: Not remreable.

INCOMMENT TRACT: The stometh contains partially digested food, approximately 5 owners. The deplement is not remarkable. The small and large bond are not remarkable. The appoints to present.

RECORD-SELUTAL SERIES: The miscale-choletal system is not remarkable except for the previously described bullet injuries.

IMPENTICS: Bot recardable.

MICROSCOPIC:

Brain: There is disruption of brain tissue with fresh honorrhapic extravasations.

Liver: There is disruption with fresh homorphoges. No inflammation or organization.
Otherwise not remarkable.

Kidney: Hon-contributory.

Panereas: Hon-contributory.

long: There is disruption of the peronchym with fresh hemorrhages.

Adrenal: Hon-contributory.

Skin: Sections of skin show disruption with henorchages. There is no inflammation or organization.

Heart: Hon-contributory.

FEDERA:

Canabot wound to the head. Emin parenchymal dampe and henorrhage. Curshot wounds of the chest. Renotrations of the right lung, superior your cave, and liver. Right hemotherax. Peritoneal homorrhage.

Pericardial hosperhage with cardiac temporate.

CAUSE OF BEATER

Cumphot wounds of the head and chest.

Earl F. Rose, M. D.

D.LL.S COUNTY HOSPIT:L DISTRICT (Parkland Memorial Hospital)

TOXICOLOGIC L HAPORT

Date 17/05/53

autopsy by Dr. Fere On 11/	
Cu copsy by sir.	22/63
Examined for simplel and barbiturate.	
Organs submitted Mord.	
KUSULT. OF .F .LYSIS:	Y
Poisonous Gases	
Volatile Poisons	
.cidther soluble poisons	Familie.
Alkaline-Ether soluble poisons	<u> </u>
Ammonia-Sther or amm,-Chloroform soluble poison	18
Metallic Poisons	- *
Mineral cids and alkalies	
Halogens and their salts	
Salts of Oxy-acids	
Poisons isolated by special methods	

oxicologist, Daylus County Hospital

	Dallas, Texas Dalla Holl Land P
Case of #:63-352	Referred by Hadical Stoff
Blood drawn by	M. At Parkland Hospital
Date Time H	di. Antiseptic used
Officers, identification,	eto.:
	100
DE.C. Lab. Lock Box a	t 1:15 Al Date 11/25/63 By Patter
Specimen transferred to	M. B. Bay (Analyst). M. B. Bay (Analyst). M. B. Bay (Analyst). M. B. Bay (Analyst).
Specimen transferred to	M. E. Bay (Analyst). 5/63 By Winston Pritorson test twin stappored with rubber ctapper
Specimen transforred to	(Analyst) 5/63 By Vinston Putiermon test tith atoppored with rubber ciappor time of analysis 11/05/63 1:00 4 Analyst: E. E. Bay
Specimen transferred to	(Analyst) 5/63 By Vinston Putiermon test tith atoppored with rubber ciappor time of analysis 11/05/63 1:00 4 Analyst: E. E. Bay
Specimen transferred to	(Analyst). (Analy

Yes

Мо

Gas chromatogram

Result: Alcohol content Recutive.

Dollas Clay-County Criminal Investigation Laboratory

GUNSHOT WOUND CHART sl. Tigit ML-352-63 WOUND NO. E. Ent. Ex Ent Est Ez. Ent. Ex Neck Right Laft Right Left Diam. 2. Size of 14 3/8 Width 七 7 3/4) 3/8 5/16 Length 3/4 200 Top of head 17 21 Left of 3 🕏 wound to: 丛 On skin Rolles la trino talcote burns Abeent Backward -Forward Upward body: To right To left Bullet Calibro Pecuracial Recovered Remember found: Shotgun Photographs made: Yes No X-rays made: Yes No. REMARKS: a measurements in inches 494

Examined by: Barl of 11 Tools 240 Date: Hav. 22, 1963

